


Hybrid Polynomial Prediction

- ◆ The remote host can dynamically choose the order of prediction polynomial
 - ❖ first-order or second-order?
- ◆ First-order
 - ❖ fewer computational operations
 - ❖ good when acceleration changes frequently or when acceleration is minimal
 - ❖ prediction can be more accurate without acceleration information



Position History-Based Dead Reckoning

- ◆ Chooses dynamically between first-order and second-order
- ◆ Evaluates the object's motion over the three most recent position updates
- ◆ If acceleration is minimal or substantial, use first-order
 - ❖ threshold cut-off values for each entity
- ◆ The acceleration behaviour affects to the convergence algorithm selection
- ◆ Ignores instantaneous derivative information
 - ❖ update packets only contain the most recent position
 - ❖ estimate velocity and acceleration
- ◆ Reduces bandwidth requirement
- ◆ Improves prediction accuracy in many cases



Limitations of Derivative Polynomials

- ◆ Add more terms to the derivative polynomial—why not?
- ◆ With higher-order polynomials, more information have to be transmitted
- ◆ The computational complexity increases
 - ❖ each additional term requires few extra operations
- ◆ Sensitivity to errors
 - ❖ derivative information must be accurate
 - ❖ inaccurate values for the higher derivatives might actually make the prediction worse

$$p(t) = \frac{1}{2}at^2 + vt + p$$


Limitations of Derivative Polynomials (cont'd)

- ◆ Hard to get accurate instantaneous information
 - ❖ entity models typically contain velocity and acceleration
 - ❖ higher-order derivatives must be estimated or tracked
 - ❖ defining jerk (change in acceleration):
 - predict human behaviour
 - air resistance, muscle tension, collisions,...
 - ❖ values of higher-order derivatives tend to change more rapidly than lower-order derivatives
- ⇒ High-order derivatives should generally be avoided
- ◆ The Law of Diminishing Returns
 - ❖ more effort typically provides progressively less impact on the overall effectiveness of a particular technique




Object-Specialized Prediction





- ◆ Derivative polynomials do not take into account
 - ❖ what the entity is currently doing
 - ❖ what the entity is capable of doing
 - ❖ who is controlling the entity
- ◆ Managing a wide variety of dead reckoning protocols is expensive
- ◆ Aircraft making military flight manoeuvres
 - ❖ constant acceleration and instant velocity ⇒ position trajectory
 - ❖ the aeroplane's orientation angle
- ◆ All information does not need to be transmitted
 - ❖ dancing is relevant not the footwork, fire not the flames,...
- ◆ In general, precise behaviour would be nice but overall behaviour is enough



Convergence Algorithms


- ◆ Prediction estimates the future value of the shared state
- ◆ Convergence tells how to correct inexact prediction
- ◆ Correct predicted state quickly but without noticeable visual distortion





Nonregular Update Generation

- ◆ By taking advance of knowledge about the computations at remote host, the source host can reduce the required state update rate
- ◆ The source host can use the same prediction algorithm than the remote hosts
- ◆ Transmit updates only when there is a significant divergence between the actual position and the predicted position




Advantages of Nonregular Transmissions

- ◆ Reduces update rates, if prediction algorithm is reasonable accurate
- ◆ Allows to make guarantees about the overall accuracy
- ◆ The source host can dynamically balance its network transmission resources
 - ◆ limited bandwidth \Rightarrow increase error threshold
- ◆ Nonregular updates provide a way to dynamically adapt the consistency-throughput trade-off based on the changing consistency demands

Lack of Update Packets

- ◆ If the prediction algorithm is really good, or if the entity is not moving significantly, the source might never send any updates
- ◆ New participants never receive any initial state
- ◆ Recipients cannot tell the difference between receiving no updates because
 - ❖ the object's behaviour has not changed
 - ❖ the network has failed
 - ❖ the object has left the NVE
- ◆ Solution: timeout on packet transmissions

Environmental Effects




Dead Reckoning: Advantages and Drawbacks

- ◆ Reduces bandwidth requirements because updates can be transmitted at lower-than-frame-rate
- ◆ Because hosts receive updates about remote entities at a slower rate than local entities, receivers must use prediction and convergence to integrate remote and local entities
- ◆ Does not guarantee identical view for all participants
 - ❖ tolerate and adapt to potential differences
- ◆ Complex to develop, maintain, and evaluate
- ◆ Dead reckoning algorithms must often be customized for particular objects
- ◆ Are entities predictable?

Recapitulation: Managing Dynamic Shared State

- ◆ Consistency-throughput trade-off
- ◆ Centralized information repositories
- ◆ Frequent state regeneration
- ◆ Dead reckoning



\$5 System Design

- ◆ Model-View-Controller
- ◆ Threads
 - ❖ single
 - ❖ multiple
- ◆ Important subsystems
 - ❖ real-time rendering
 - ⊙ polygon culling
 - ⊙ level-of-detail processing
 - ❖ real-time collision detection and response
 - ❖ computational resource management

Model-View-Controller

